

# PRODUCT BULLETIN

## Maco Trend Comfort Stay



---

### Tilt and Turn System For Those With Limited Mobility

---

Maco's Trend turn first hardware with Comfort Stay allows people with limited mobility or strength to safely operate a tilt and turn window. Maco Comfort also makes operating any window with difficult access easier (e.g. behind a sink etc)

It can be extremely difficult for the less able, particularly those confined to a wheelchair, to operate a standard tilt and turn because of the handle position on the vertical. The Comfort Stay overcomes this problem by having the handle on the bottom horizontal of the sash.

The scissor stay is 'driven' so when the handle is moved from the closed position through 90° the window can be opened in the full turn position. Go through the full 180° motion and the sash will automatically tilt inwards to its ventilation position.

The window closes from tilt by moving the handle.

#### Benefits at a glance:

- Allows the window company to gain sales by offering solutions for customers with limited mobility
- Complies with government's National Strategy for 'Housing in an Ageing Society'
- Offers a solution to other awkward installations
- Covered by Maco's 10 year guarantee
- Available in Tricoat to order
- Max sash weight: 100 Kg
- SRW range: 500-1400mm/SRH Range: 620-1600mm
- Security can be upgraded by fitting 'IS' Mushroom strikers at all 'IS' points
- Minimal extra parts

VBH (GB) Ltd  
VBH House, Bailey Drive,  
Gillingham Business Park,  
Gillingham, Kent  
ME8 0WG  
Tel: 01634 263263  
Fax: 01634 263504  
Email: [sales@vbhgb.com](mailto:sales@vbhgb.com)  
Online: [www.vbhgb.com](http://www.vbhgb.com)



Simply everything.

Everything simple.

# Tilt & Turn Maco

## Maco 'COMFORT' using Standard 15mm Backset Drivegear

Description	VBH Code	Lkg Points	SRW	SRH	Qty Req	Box Qty
<b>Bottom Corner Drive 'iS' A #</b> (*NOTE if using T3 bottom hinge deduct 1no. 5MAC7262)	5MAC7262	1 'iS'			2*	50
<b>Top Corner Drive 'iS' (Select SRW)</b>						
Top Corner Drive 'iS' B - Short	5MAC7261	1 'iS'	500-600			50
Top Corner Drive 'iS' A - Standard	5MAC7262	1 'iS'	601-1400		1	50
<b>Centre Lock 'iS'</b>	5MAC7253	1 'iS'			1	50
<b>Stay Hinge</b>	5MAC7083				1	100
<b>Stay Hinge Cover (Select colour)</b>						
White	5MAC1085				1	100
Brown	5MAC1093					100
<b>Stay Hinge Pin</b>	5MAC1084				1	100
<b>Stay Support #</b>	5MAC - - - -				1	100
<b>Stay Support Cover (Select colour)</b>						
White	5MAC1091				1	100
Brown	5MAC1092					100
<b>Sash Corner Hinge # (Select handing &amp; T type)</b>						
Non-handed T1	5MAC7089				1	100
LH 20/13 T3	5MAC7281	1 'iS'				20
RH 20/13 T3	5MAC7282	1 'iS'				20
<b>Sash Corner Hinge Cover # (Select handing, T type &amp; colour)</b>						
Non-handed T1 White	5MAC1090				1	100
Non-handed T1 Brown	5MAC1096					100
LH T3 White	5MAC1049					100
RH T3 White	5MAC1050					100
LH T3 Brown	5MAC1177					100
RH T3 Brown	5MAC1178					100
<b>Frame Corner Hinge</b>	5MAC7088				1	100
<b>Frame Corner Hinge Cover (Short and long required. Select colour)</b>						
White - Short	5MAC1035				1+1	100
White - Long	5MAC1040					100
Brown - Short	5MAC1094					100
Brown - Long	5MAC1095					100
<b>Comfort Scissor Stay (Select handing)</b>						
LH	5MAC6005				1	10
RH	5MAC6006					10
<b>Comfort Scissor Stay Guide (Select SRW &amp; handing)</b>						
LH Size 1	5MAC6007		500-800			10
RH Size 1	5MAC6008		500-800			10
LH Size 2	5MAC6009	1 'iS'	801-1400			10
RH Size 2	5MAC6010	1 'iS'	801-1400			10
<b>Gear Extension (Select SRW)</b>						
250mm	5MAC6049		1051-1300		1	20
400/600mm 'iS'	5MAC6051	1 'iS'	1301-1400			20
<b>Vertical Connector (Select SRH)</b>						
Size 1	4WTS6153	1 'iS'		620-900		20
Size 2	4WTS6154	1 'iS'		901-1150		20
Size 3	4WTS6155	1 'iS'		1151-1400		20
Size 4	4WTS6156	2 'iS'		1401-1600		20

#Profile related item. Visit [www.vbhgb.com](http://www.vbhgb.com) or contact VBH for specification to suit your system

# Tilt & Turn Maco

## Maco 'COMFORT' using Standard 15mm Backset Drivegear

Description	VBH Code	Lkg Points	SRW	SRH	Qty Req	Box Qty
<b>15mm BS Drive Gear</b> (Select SRW)					1	
Size 1	5MAC6777		500-650			20
Size 1A	5MAC7211		651-900			20
Size 3	5MAC7213	1 Std	901-1300			20
Size 4	5MAC7214	1 Std	1301-1400			10
<b>Lifting Plate For Striker</b>	5MAC7500				1	100
<b>Trend Sash Lifter Striker #</b>	5MAC - - - -		651-1400		1	100
<b>Casement Striker #</b>	5MAC - - - -				Count Lkg Points Minus 1	200
<b>'iS' Mushroom Striker #</b> (for tilt striker)	5MAC - - - -				2	100
<b>Handle</b> - See TBT & Tilt/Slide Handle catalogue sections for options					1	
<b>M5x40 Handle Screw</b> (optional)	5HSR0074				2	500
<b>Fitting Jigs &amp; Tools</b>						
Frame Hinge Jig	5MAC1077				1	1
Sash Hinge Jig (only reqd. for T1)	5MAC0949				1	1
Torx T-Bar Adjusting Tool	5MAC0916				1	1

# Profile related item. Visit [www.vbhgb.com](http://www.vbhgb.com) or contact VBH for specification to suit your system